



simon

simon
LIGHT UP EMOTIONS

POINTSC 01 2021年01月 印 图片提供: shutter stock图片有限公司



西蒙电气(中国)有限公司
SIMON ELECTRIC (CHINA) CO., LTD.
办公地址: 上海市闵行区申长路988弄虹桥万科中心1号楼5层
邮编: 201106 电话: 86-21-38555222 传真: 86-21-38555200
<http://www.simon.com.cn> E-mail: market@simon.com.cn

485200069 2021.01

FLUVIA | Point



Design Simon

FLUVIA 系列是 Simon 西蒙电气建筑艺术照明领域的经典代表，多次获得 iF 产品设计奖、红点设计大奖、Plus X Award 奖等国际大奖。

FLUVIA 赋予建筑个性的设计理念，以极具吸引力和创新性的设计语言，唤醒用户情绪，创建多种室内光场景。

FLUVIA is a classic of Simon in architectural lighting and has won international awards such as IF Award, Red Dot Award, Plus X Award.

FLUVIA endows architect with unique design concept and arouse emotions in people with multiple scenarios created by its appealing and innovative design.



Inspiration & Creation

人与空间密不可分，而光是营造空间氛围的重要元素。

依托建筑，烘托空间，利用灯光营造空间的整体氛围。在空间中自由组合的照明形式和丰富的灯光效果，颠覆了人们对室内照明的概念，赋予每个空间以独特的个性。

FLUVIA 结合建筑语言，为空间的格调增添创造力与想象力。

Man cannot live without space where light is important in creating atmosphere. Light is used to create atmosphere in spaces and highlight architects. Lighting design and light combination can endow each space with uniqueness, which has change people's idea about interior lighting.

Together with architect, FLUVIA add innovative and imaginative elements to spaces.

P
O
I
N
T

Point

设计简洁,激光定位精准聚焦,可单独或组合使用,以精准、清晰的光束突出被照物和细节。
适用于各种展示环境,如展厅、博物馆、艺术画廊、商店橱窗或其它零售空间。





ARTISTS DESCRIBE THEIR ART

Inspired by science-fictional depictions of
 and worlds and the cultural practices that
 develop around water scarcity, this piece
 envisions a propositional social ritual that
 has developed in response to the growing
 threat of water scarcity in California.

Through a combination of diegetic
 prototypes and video, *Water Rites*
 explores a slice of uncanny, fictitious
 culture from a world where our
 relationship to water is far less cavalier.

THE BODY OF WORK

Water Rites is a series of three
 diegetic prototypes and a video
 that explore a slice of uncanny,
 fictitious culture from a world
 where our relationship to water
 is far less cavalier.

THE MATERIAL FINAL

The sculptures are made of
 wood and stone, and are
 inspired by the textures of
 water and the way it flows
 and interacts with the world
 around it.

ESOTERIC HISTORICAL

This piece is inspired by
 the history of water scarcity
 in California and the way
 it has shaped the culture
 and practices of the region.

TEMPORAL

The video is a series of
 diegetic prototypes that
 explore a slice of uncanny,
 fictitious culture from a
 world where our relationship
 to water is far less cavalier.

LAMONA

WATER

Water Rites and Cultural Rites



激光定位并独立调控

Point 通过自带激光器,可精准定位光斑焦点。
在灯体中集成 OBD 手动调光模块,无需连接调光开关或调光系统,用户可手动自主调光,使其适应每个物体或照明区域。

设计简约

Point 将前沿技术与简约设计融为一体。灯体表面无可见螺丝,并将所有接线和组件集成到一个部件中,呈现致简优雅的外形。





POINT 80



POINT 80 嵌入式



灯体颜色

● 黑色 ● 白色




P O I N T


安装方式	嵌入式,轨道式	可调角度	355° 水平可调,90° 垂直可调
功率	15W	色容差	SDCM<3
光束角	15°, 30°	控制方式	OBD, 1-10V
光通量	770lm-870lm	使用电压	220V-240V
色温	2700K,3000K,4000K	IP	20
显色性	Ra90	产品颜色	黑,白




Spot 15°




Flood 30°





代码	名称	功率	色温	光通量	显指	光束角	控制方式	灯体颜色	PF
N64C4-0375	LED15W2700K15° 白色 Point 四线轨道灯 (OBD)	15W	2700K	770	90	15°	OBD	白色	0.9
N64C4-0376	LED15W3000K15° 白色 Point 四线轨道灯 (OBD)	15W	3000K	810	90	15°	OBD	白色	0.9
N64C4-0377	LED15W4000K15° 白色 Point 四线轨道灯 (OBD)	15W	4000K	870	90	15°	OBD	白色	0.9
N64C4-0378	LED15W2700K30° 白色 Point 四线轨道灯 (OBD)	15W	2700K	770	90	30°	OBD	白色	0.9
N64C4-0379	LED15W3000K30° 白色 Point 四线轨道灯 (OBD)	15W	3000K	810	90	30°	OBD	白色	0.9
N64C4-0380	LED15W4000K30° 白色 Point 四线轨道灯 (OBD)	15W	4000K	870	90	30°	OBD	白色	0.9
N64C4-0405	LED15W2700K15° 黑色 Point 四线轨道灯 (OBD)	15W	2700K	770	90	15°	OBD	黑色	0.9
N64C4-0406	LED15W3000K15° 黑色 Point 四线轨道灯 (OBD)	15W	3000K	810	90	15°	OBD	黑色	0.9
N64C4-0407	LED15W4000K15° 黑色 Point 四线轨道灯 (OBD)	15W	4000K	870	90	15°	OBD	黑色	0.9
N64C4-0408	LED15W2700K30° 黑色 Point 四线轨道灯 (OBD)	15W	2700K	770	90	30°	OBD	黑色	0.9
N64C4-0409	LED15W3000K30° 黑色 Point 四线轨道灯 (OBD)	15W	3000K	810	90	30°	OBD	黑色	0.9
N64C4-0410	LED15W4000K30° 黑色 Point 四线轨道灯 (OBD)	15W	4000K	870	90	30°	OBD	黑色	0.9
N64C4-0381	LED15W2700K15° 白色 Point 六线轨道灯 (1-10V)	15W	2700K	770	90	15°	1-10V/OBD	白色	0.9
N64C4-0382	LED15W3000K15° 白色 Point 六线轨道灯 (1-10V)	15W	3000K	810	90	15°	1-10V/OBD	白色	0.9
N64C4-0383	LED15W4000K15° 白色 Point 六线轨道灯 (1-10V)	15W	4000K	870	90	15°	1-10V/OBD	白色	0.9
N64C4-0384	LED15W2700K30° 白色 Point 六线轨道灯 (1-10V)	15W	2700K	770	90	30°	1-10V/OBD	白色	0.9
N64C4-0385	LED15W3000K30° 白色 Point 六线轨道灯 (1-10V)	15W	3000K	810	90	30°	1-10V/OBD	白色	0.9
N64C4-0386	LED15W4000K30° 白色 Point 六线轨道灯 (1-10V)	15W	4000K	870	90	30°	1-10V/OBD	白色	0.9
N64C4-0411	LED15W2700K15° 黑色 Point 六线轨道灯 (1-10V)	15W	2700K	770	90	15°	1-10V/OBD	黑色	0.9
N64C4-0412	LED15W3000K15° 黑色 Point 六线轨道灯 (1-10V)	15W	3000K	810	90	15°	1-10V/OBD	黑色	0.9
N64C4-0413	LED15W4000K15° 黑色 Point 六线轨道灯 (1-10V)	15W	4000K	870	90	15°	1-10V/OBD	黑色	0.9
N64C4-0414	LED15W2700K30° 黑色 Point 六线轨道灯 (1-10V)	15W	2700K	770	90	30°	1-10V/OBD	黑色	0.9
N64C4-0415	LED15W3000K30° 黑色 Point 六线轨道灯 (1-10V)	15W	3000K	810	90	30°	1-10V/OBD	黑色	0.9
N64C4-0416	LED15W4000K30° 黑色 Point 六线轨道灯 (1-10V)	15W	4000K	870	90	30°	1-10V/OBD	黑色	0.9

注：以上产品属常规订制品



代码	名称	功率	色温	光通量	显指	光束角	控制方式	灯体颜色	PF
N64C4-0387	LED15W2700K15° 白色 Point 嵌入式射灯 (1-10V)	15W	2700K	770	90	15°	1-10V/OBD	白色	0.9
N64C4-0388	LED15W3000K15° 白色 Point 嵌入式射灯 (1-10V)	15W	3000K	810	90	15°	1-10V/OBD	白色	0.9
N64C4-0389	LED15W4000K15° 白色 Point 嵌入式射灯 (1-10V)	15W	4000K	870	90	15°	1-10V/OBD	白色	0.9
N64C4-0390	LED15W2700K30° 白色 Point 嵌入式射灯 (1-10V)	15W	2700K	770	90	30°	1-10V/OBD	白色	0.9
N64C4-0391	LED15W3000K30° 白色 Point 嵌入式射灯 (1-10V)	15W	3000K	810	90	30°	1-10V/OBD	白色	0.9
N64C4-0392	LED15W4000K30° 白色 Point 嵌入式射灯 (1-10V)	15W	4000K	870	90	30°	1-10V/OBD	白色	0.9
N64C4-0417	LED15W2700K15° 黑色 Point 嵌入式射灯 (1-10V)	15W	2700K	770	90	15°	1-10V/OBD	黑色	0.9
N64C4-0418	LED15W3000K15° 黑色 Point 嵌入式射灯 (1-10V)	15W	3000K	810	90	15°	1-10V/OBD	黑色	0.9
N64C4-0419	LED15W4000K15° 黑色 Point 嵌入式射灯 (1-10V)	15W	4000K	870	90	15°	1-10V/OBD	黑色	0.9
N64C4-0420	LED15W2700K30° 黑色 Point 嵌入式射灯 (1-10V)	15W	2700K	770	90	30°	1-10V/OBD	黑色	0.9
N64C4-0421	LED15W3000K30° 黑色 Point 嵌入式射灯 (1-10V)	15W	3000K	810	90	30°	1-10V/OBD	黑色	0.9
N64C4-0422	LED15W4000K30° 黑色 Point 嵌入式射灯 (1-10V)	15W	4000K	870	90	30°	1-10V/OBD	黑色	0.9

注：以上产品属常规订制品

配件

代码	名称	代码	名称
N6424-0484	4线轨道 2米白色	N6424-0489	6线轨道 2米白色
N6424-0493	4线轨道 2米黑色	N6424-0497	6线轨道 2米黑色
N6424-0485	4线轨道一字连接件白色	N6424-0490	6线轨道一字连接件白色
N6424-0494	4线轨道一字连接件黑色	N6424-0498	6线轨道一字连接件黑色
N6424-0486	4线轨道 L 连接件白色	N6424-0491	6线轨道 L 连接件白色
N6424-0495	4线轨道 L 连接件黑色	N6424-0499	6线轨道 L 连接件黑色
N6424-0487	4线轨道端头连接件白色	N6424-0492	6线轨道端头连接件白色
N6424-0496	4线轨道端头连接件黑色	N6424-0501	6线轨道端头连接件黑色
N6424-0500	4线 6线轨道端盖黑色	N6424-0488	4线 6线轨道端盖白色

注：轨道条需配套端头连接件和端盖配件使用

